

Index

A

- above ground level.....3-31, 7-44, 8-2, 9-10
- absolute accuracy7-25
- acceleration in cruise flight.....2-10
- acute fatigue..... 1-11, 1-12, 1-13
- additional reports10-7
- adjust.....4-20
- advanced technologies7-26
- advanced technology systems3-28
- adverse yaw..... 2-11, 2-12
- aeronautical decision-making (ADM)1-1, 1-12, 1-15, 1-17
- aeronautical information manual (AIM)..... 9-4, 10-2
- agonic line.....3-12
- air data computer (ADC)3-22
- air route surveillance radar (ARSR) 7-49, 9-7
- air route traffic control center (ARTC) 7-50, 9-4, 9-7, 10-2
- air traffic control (ATC)..... 1-15, 9-1, 11-1
 - inflight weather avoidance assistance.....9-11
 - radar weather displays.....9-11
- air traffic control radar beacon system (ATCRBS).....7-49
- air traffic control towers.....9-5
- aircraft approach categories8-23
- aircraft control.....6-3
- aircraft system malfunctions11-3
- airplane trim4-8
- airport diagram.....8-27
- airport information8-6
- airport sketch.....8-27
- airport surface detection equipment (ASDE)..... 7-49, 7-50
- airport surveillance radar (ASR)..... 7-49, 9-7
- Airport/Facility Directory (A/FD) 1-9, 7-10, 8-6, 10-2
- airspace classification.....8-1
 - class A through G.....8-2
- airspeed color codes3-10
- airspeed
 - indicated3-9
 - indicator.....4-6, 5-5, 5-37, 6-5
 - calibrated3-9
 - equivalent3-9
 - true.....3-9
- airspeed changes
 - common errors.....6-10
- airspeed indicators 4-26, 5-29, 5-61
 - maximum allowable airspeed.....3-10
- alcohol.....1-12
- alternate airport8-27
- alternator/generator failure.....11-5
- altimeter 5-36, 6-4
- amendment status.....8-12
- analog pictorial displays3-22
- anti-ice.....2-12
- approach lighting systems (ALS).....7-40
- approach to stall5-26
- altimeter
 - errors.....3-4
 - cold weather3-5
 - enhancements (encoding).....3-7
- analog instrument failure11-6
- angle of attack..... 2-2, 2-6
- approach azimuth guidance.....7-45
- approach control advances.....9-12
- approach control facility9-12
- approach to airport
 - without an operating control tower10-14
 - with control tower, no approach control10-14
 - with control tower and approach control.....10-14
- approaches.....10-12
 - missed.....10-21
 - parallel runways10-20
 - radar.....10-17
 - timed, from a holding fix.....10-18
- area navigation (RNAV).....7-19
- arrival10-33
- atmosphere2-4
 - layers of the atmosphere.....2-5
- attitude and heading reference system (AHRS).....3-22
- attitude director indicator (ADI)3-23

attitude	
indicator.....	4-4, 4-5, 4-7, 5-2, 5-6, 5-34, 5-37, 6-3, 6-5
control.....	4-3
instrument flying	4-1, 4-21, 6-1
autokinesis.....	1-7
automated flight service stations (AFSS).....	9-4
automated radar terminal systems (ARTS).....	9-7
automated surface observing station (ASOS).....	8-10
automated terminal information service (ATIS).....	10-8
automated weather observing station (AWOS)	8-10
automatic dependent surveillance-broadcast (ADS-B)	3-28
automatic direction finder (ADF).....	3-16, 7-3, 10-7
function of	7-4
operational errors.....	7-8
automatic terminal information service (ATIS).	1-15, 8-16
automatic weather observing system (AWOS).....	7-3
autopilot systems.....	3-24
autorotations.....	6-17
common errors.....	6-17
azimuth card.....	7-4
B	
back courses (BC).....	7-39
bank control	4-4, 4-7, 4-20, 5-6, 5-37, 6-5
baro-aiding	7-28
barometric vertical navigation (BARO VNAV).....	8-32
basic aerodynamics (review of)	2-2
relative wind.....	2-2
angle of attack	2-2
basic instrument flight patterns	5-30, 5-61
basic radio principles	7-2
blockage considerations	3-2
indications of pitot tube blockage	3-3
indications from static port blockage	3-3
effects of flight conditions.....	3-3
C	
calibrated.....	5-2, 6-14
calibrated orifice.....	3-8
center approach/departure control.....	9-7
certified checkpoints	7-16
changeover points (COPs)	8-10
changing technology	6-18
charted IFR altitudes	8-6
chronic fatigue	1-13
circling approaches	10-20
circling approach pattern.....	5-32
class D airspace.....	8-2, 9-6
clean configuration.....	5-11
clear ice	2-13, 10-24
clearances	10-3
separations	10-4
clearance delivery	10-4
clearance on request.....	9-6
clearance void time	9-5
climbing	
while accelerating.....	1-8
while turning	1-8
climbs.....	2-10, 5-14
common errors	
fixation.....	4-27
omission	4-28
emphasis	4-28
communication equipment.....	9-2
communication facilities.....	9-4
communication procedures	9-4
communication/navigation system malfunction	11-8
compass	
course.....	3-13
locator	7-28, 7-40
turns	5-21, 5-53, 6-15
compass rose	3-12, 5-25
computer navigation fix	8-10
concentric rings.....	8-18
conducting an IFR flight	10-27
constant airspeed climb	
from cruise airspeed	5-46
from established airspeed	5-47
constant rate climbs.....	5-47
control	
characteristics	2-7
and performance	4-2
instruments	4-2, 4-18
sequence	9-13
control display unit (CDU)	3-26
control pressures	5-3
coordinated.....	5-6, 6-5
coordination of rudder and aileron controls.....	2-11
coriolis illusion.....	1-6
course interception	7-14
course reversal elements	
plan view	8-20
profile view.....	8-20
crew resource management (CRM)	1-14
critical areas	7-2
cross-check.....	4-3, 4-20
common errors.....	4-11
cruise clearance	10-4
current induction	3-15

D

dark adaptation.....	1-3
DECIDE model.....	1-17
decision height (DH).....	3-31, 7-50, 8-21
deice	2-13
density altitude.....	2-5
departure	10-31
departure procedures (DPs).....	7-1, 7-33, 8-12, 10-5
instrument.....	7-33
departures	
airports without an operating control tower	10-7
radar controlled.....	10-5
descents.....	5-16, 5-49
deviation.....	3-12
differential global positioning systems (DGPS)	7-34
direct indication	5-2, 5-34, 6-3
directional	7-42
distance circle.....	8-18
distance measuring equipment (DME)	7-16, 8-7
arc.....	7-17
components.....	7-17
errors.....	7-19
function of	7-17
diving	
or rolling beyond the vertical plane.....	1-8
while turning	1-8
DOD.....	3-22
doghouse	3-21
domestic reduced vertical	
separation minimum (DRVSM).....	3-7
double gimbal.....	3-18
drag	2-3
drag curves.....	2-6
dry air vacuum pump	3-17
duplex.....	9-2
dynamic pressure type instruments.....	3-8

E

ears	1-4
otolith organs.....	1-4, 1-5
semicircular canals	1-4
eddy currents.....	2-3, 3-14
electrical systems	3-18
electronic flight display (EFD).....	4-1
electronic flight instrument systems.....	3-27
elevator illusion.....	1-6
emergencies.....	6-16
en route.....	10-7, 10-32
en route flight advisory service (EFAS).....	9-4
en route high-altitude charts.....	8-6
en route procedures	10-7

encoding altimeter.....	3-7
entry	5-14, 5-46, 5-49, 6-10
equipment.....	1-14
eyes	1-2

F

false horizon.....	1-7
fatigue	1-12
featureless terrain illusion.....	1-9
federal airways.....	8-4
feeder facilities.....	8-18
feet per minute (fpm)	4-6
filing in flight.....	10-2
final approach fix (FAF).....	7-23
final approach waypoint (FAWP).....	7-32
flight director indicator (FDI)	3-23
flight instruments	2-16, 3-1, 6-2
flight levels (FL)	3-7
flight management systems (FMS)	3-25
function of	7-48
flight patterns	5-30
flight planning information, sources	10-2
flight strips	9-5
flight support systems	3-22
flight path	2-2, 2-6
four step process used to change attitude.....	4-20
flux gate compass.....	3-14
flying experience.....	10-22
fog.....	1-9, 10-24
form drag.....	2-4
four forces	2-2
fundamental skills	
of attitude instrument flying	4-24
instrument cross-check.....	4-10
instrument flight	6-2

G

glide slope	7-39
glide slope intercept altitude	10-20
global landing system (GLS)	8-32
global navigation satellite system (GNSS)	7-26
global positioning system (GPS)	3-27, 7-27
components.....	7-27
errors.....	7-33
familiarization	7-34
function of	7-28
instrument approaches.....	7-31
nearest airport function.....	11-9
substitution	7-28
graveyard spiral.....	1-6
ground lighting illusions	1-9

ground proximity warning system (GPWS)	3-34	inertia navigation systems (INS).....	7-36
ground speed	7-19	components.....	7-37
ground wave.....	7-2	errors.....	7-37
gyroscopic systems, power sources	3-16	initial approach fix (IAF)	7-23, 8-16, 8-18
pneumatic systems.....	3-16	inoperative components	8-27
vacuum pump systems	3-17	instantaneous vertical speed indicator (IVSI)	3-8, 4-6
gyroscopic instruments		instrument	
attitude indicator.....	3-18	approach capabilities	7-36
H		approach systems.....	7-37
hazard identification.....	1-13	cross-check	4-10, 4-24, 6-2
hazardous attitudes.....	1-18	instrument approach procedures (IAPs).....	7-17, 8-2, 8-12
and antidotes.....	1-18	instrument approach procedures, compliance with....	10-12
Hazardous Inflight Weather Advisory Service		instrument approaches	
(HIWAS).....	8-10	to civil airports.....	10-13
haze	1-9	radar monitoring of.....	10-18
head up display (HUD)	3-34, 7-49	instrument flight	6-2
heading.....	5-13, 5-44	instrument flight rules (IFR)	3-1, 10-1
heading indicators	3-19, 4-7, 5-7, 5-38, 6-6	instrument interpretation	6-3
height above airport (HAA)	8-27	instrument landing systems (ILS)	7-37
height above landing (HAL)	8-27	components.....	7-39
height above threshold elevation (HAT).....	8-27	errors.....	7-44
helicopter trim.....	4-10	function.....	7-42
holding	10-9	instrument takeoffs.....	5-29, 5-60, 6-17
DME	10-13	common errors.....	5-29, 5-61, 6-18
instructions	10-10	instrument weather flying	10-22
patterns	7-1	integrated flight control system.....	3-24
procedures	10-10	intercepting lead radials	7-19
homing	7-5	interference drag	2-3
horizontal situation indicator (HSI)	3-22, 5-38	international civil aviation organization (ICAO)...	2-5, 8-1
human		international standard atmosphere (ISA)	2-5
factors	1-1	inversion illusion.....	1-6
resources.....	1-14	inverted-V cross-check	4-11
I		inverter	3-18
IAP minimums	10-21	isogonic lines	3-12
ICAO cold temperature error table	3-6	J	
ICAO Standard Atmosphere	2-5	jet routes.....	8-5
icing.....	2-12	K	
types of	2-13	Kollsman window	3-4, 9-3
identifying intersections.....	8-7	L	
IFR en route and terminal operations.....	7-28	lag.....	5-5, 6-5
IFR en route charts.....	8-6	land as soon as possible	6-17
IFR flight plan.....	10-2	land as soon as practical.....	6-17
canceling.....	10-3	land immediately.....	6-17
IFR Flight using GPS.....	7-30	landing.....	10-22
illusions leading to spatial disorientation.....	1-5	landing minimums	8-23
IMSAFE Checklist.....	1-13	large airplanes	2-10
indirect indication	5-3, 5-6, 6-4	Law of Inertia.....	2-9
induced drag	2-3		
induction icing	2-13		

Law of Momentum	2-4	minimum safe altitude (MSA)	8-16, 8-18
Law of Reaction	2-4	minimum vectoring altitudes (MVAs).....	9-6
layers of the atmosphere	2-5	minimums section	8-23
lead radial.....	7-19	missed approach point (MAP)	7-23
leans, the	1-5	missed approach procedure.....	8-23
learning methods		missed approach waypoint (MAHWP).....	7-32
control and performance.....	4-2, 4-17	mixed ice.....	2-14
primary and supporting	4-2	Mode C.....	3-7
letters of agreement (LOA).....	9-14	altitude reporting	9-3
leveling off.....	5-16, 5-17, 5-48, 5-50	models for practicing ADM	
lift.....	2-2, 2-6	perceive, process, perform.....	1-17
lines of magnetic flux.....	3-11	DECIDE model, the	1-17
load factor	2-11	monopulse secondary surveillance radar (MSSR).....	9-12
local area augmentation system (LAAS)	7-36, 8-32	multi-function display (MFD).....	3-27, 3-28, 11-12
localizer (LOC)	7-39	navigating page groups.....	11-10
localizer type directional aid (LDA).....	7-45	nearest airports, using.....	11-10
long range navigation (LORAN)	7-3, 7-24		
components.....	7-25	N	
errors.....	7-26	National Aeronautical Charting Group (NACG).....	8-2
function of	7-26	National Airspace System (NAS)	8-1, 9-1
loss of alternator/generator for electronic flight		National Security Areas (NSA)	8-4
instrumentation	11-5	National Transportation Safety Board (NTSB).....	2-16
lubber line	3-11	nautical miles (NM)	7-17
		navigation/communication (NAV/COM) equipment	9-2, 9-3
M		9-2, 9-3
mach number.....	3-10	navigation features	8-7
machmeters	3-10	navigation instruments.....	4-2, 4-19
magnetic compass, basic aviation	3-11	nearest airport page group.....	11-10
induced errors	3-12	nearest airports page soft keys	11-10
magnetic bearing (MB).....	7-3	nerves	1-5
magnetic heading (MH).....	7-3	new technologies.....	8-10
magnetism.....	3-10	Newton's First Law of Motion Law of Inertia.....	2-4
margin identification	8-12	Newton's Second Law of Motion Law of Momentum..	2-4
marker beacons	7-37, 7-40, 7-44	Newton's Third Law of Motion Law of Reaction	2-4
maximum authorized altitude (MAA)	8-7	no-gyro approach	10-18
mean sea level (MSL)	10-9	nondirectional beacon (NDB).....	7-3, 8-7
medical factors	1-12	nonprecision approach	9-7
acute fatigue.....	1-12	nonstandard pressure on an altimeter.....	3-6
alcohol	1-12	normal command	2-7
chronic fatigue.....	1-13	North American Route Program (NRP).....	8-6
fatigue.....	1-12	nose high attitudes.....	5-27
microwave landing system (MLS).....	7-45	nose low attitudes.....	5-28
middle markers (MMs)	7-39	notices to airmen (NOTAM).....	7-10, 8-4
mileage breakdown	8-10		
military operations areas (MOAs)	8-4	O	
military training routes (MTRs).....	8-4	obstacle clearance surface	7-32
minimum crossing altitude (MCA).....	8-7	obstacle departure procedures (ODP)	8-12
minimum descent altitude (MDA).....	7-32, 8-21	off-route obstruction clearance altitude (OROCA	8-6
minimum en route altitude (MEA)	8-6	operating on the main battery	11-5
minimum obstruction clearance altitude (MOCA)	8-6	operational errors	7-45
minimum reception altitude (MRA)	8-6	optical illusions	1-9

featureless terrain illusion	1-9
fog.....	1-9
ground lighting illusions.....	1-9
haze.....	1-9
how to prevent landing errors due to optical illusions	1-9
runway width illusion.....	1-9
runway and terrain slopes illusion.....	1-9
water refraction.....	1-9
orientation	1-2
oscillation error	3-14
otolith organs	1-4, 1-5
outer markers (OMs).....	7-39
outside air temperature (OAT).....	11-2
overcontrolling.....	4-7, 5-4, 6-3
overpower	5-9

P

parasite drag	2-3
partial panel flight	5-36
performance instruments.....	4-2, 4-19
physiological and psychological factors	1-11
pilot briefing.....	8-12
Pilot's Operating Handbook/Airplane Flight Manual (POH/AFM).....	3-3
pilot/static instruments.....	3-3
pilot/static systems	3-2
failure.....	11-7
pitch control	4-4, 4-20-21, 5-2, 5-34, 6-3
pitch/power relationship.....	2-6
pitot pressure	3-2
pitot-static head.....	3-2
plan view	8-16
course reversal elements.....	8-20
planning the descent and approach	10-8
preflight	10-2
profile view	8-21
pneumatic systems	3-16
failure.....	11-7
POH/AFM.....	10-2
position	
error	3-3
reports.....	10-7
postural considerations.....	1-7
power.....	2-10, 5-13, 5-25, 5-45
control.....	4-4, 4-8, 4-21, 5-8, 5-39
settings.....	5-9, 5-39
precession.....	3-16
error	5-7, 6-6
precipitation static (P-static)	11-3
precision approach	7-37

precision approach path indicator (PAPI).....	1-10
precision approach radar (PAR).....	7-49, 10-17
precision runway monitor (PRM)	9-12
RADAR	9-12
benefits	9-12
preferred IFR routes	8-5
pressure	
altitude.....	2-5, 9-3
density	2-5
indicating systems	3-18
preventing landing errors due to optical illusions.....	1-9
primary	
bank	4-23
pitch.....	4-22
power.....	4-23
yaw	4-23
primary and supporting method	4-4, 4-21
primary flight display (PFD).....	3-27
additional information for specific airport.....	11-11
nearest airports, using.....	11-10
procedure turn	7-32, 8-20
holding in lieu of	8-20
standard 45°.....	5-30
80/260.....	5-31
profile view	8-21
propeller icing	2-16
propeller/rotor modulation error	7-2

R

racetrack pattern.....	5-30
radar	9-3
limitations.....	7-50
transponders.....	9-3
radar controlled departures	10-5
radar navigation (ground based)	7-49
functions of.....	7-49
radials.....	7-10
radio altimeter	3-30
radio frequency (RF)	7-16
radio magnetic indicator (RMI)	3-15, 7-4
radio wave.....	7-2
radius of turn	2-11
rate of turns	2-10
receiver autonomous integrity monitoring (RAIM).....	7-28
receiver-transmitter (RT)	3-31
rectangular cross-check.....	4-11
reduced vertical separation minimum (RVSM).....	3-7
reference circle.....	8-18

regions of command.....	2-7	special use airspace	8-2
normal command.....	2-7	speed stability.....	2-7
reversed command.....	2-8	St. Elmo's Fire	7-3, 11-3
relative bearing (RB).....	7-3	stall warning systems	2-16
relative wind.....	2-2, 2-4	standard entry procedures	10-11
remote communications outlet (RCO).....	8-10	standard holding pattern	
remote indicating compass.....	3-15	no wind.....	10-9
repeatable accuracy.....	7-25	with wind.....	10-9
required navigation performance	7-46	standard instrument departure procedures (SID)	10-5
required navigation instrument system inspection.....	3-34	standard rate of turn	2-11, 5-19, 5-51
reversal of motion	1-8	establishing.....	5-51
RNAV instrument approach charts.....	8-32	common errors.....	5-51
reversed command	2-8	standard terminal arrival routes (STAR).....	8-12, 10-9
reverse sensing	7-12	standby battery	11-6
rhodopsin.....	1-2	static longitudinal stability.....	2-8
rigidity.....	3-16	static pressure.....	3-2
rime ice.....	2-14	steep turns	5-22, 5-53
risk.....	1-13	stepdown fixes.....	8-21
risk analysis.....	1-13	straight-and-level flight.....	4-22, 5-2, 5-34, 6-3
RNAV (See area navigation) runway width		airspeed changes.....	5-11, 5-40
illusion.....	1-9, 1-10	common errors.....	6-7
and terrain slopes illusion.....	1-9, 1-10	power control during	6-7
runway end identifier lights (REIL).....	7-40	straight climbs and descents.....	5-14, 5-46
runway visual range (RVR)	8-27, 10-22	common errors.....	5-17, 5-50, 6-13
runway visual value (RVV)	10-22	stress.....	1-11
S		structural icing	2-13, 10-24
safety systems	3-30	suction relief valve.....	3-17
scanning techniques	4-24	synchro.....	3-15
selected radial cross-check.....	4-11, 4-24	synthetic vision	3-27
selective availability (SA).....	7-33	system status	7-33
semicircular canals.....	1-4	systems preflight procedures	
sensitive altimeter	3-3	before engine start	3-36
principle of operation	3-3	after engine start	3-37
sensory systems for orientation.....	1-2	taxiing and takeoff.....	3-37
servo failure	6-17	engine shut down.....	3-37
side-step maneuver.....	10-20	T	
simplex.....	9-2	tactical air navigation (TACAN)	7-8, 8-7, 10-7
simplified directional facility (SDF)	7-45	tailplane stall symptoms.....	2-16
single-pilot resource management (SRM)	1-14	task management.....	1-15
situational awareness	1-14, 11-11	teardrop	
skin friction drag	2-3	patterns	5-31
sky wave.....	7-2	procedure	8-21
slip/skid indicator.....	5-39	techniques	5-1
slow-speed flight	2-8	for electrical usage.....	11-5, 11-6
small airplanes	2-9	master battery switch.....	11-5
somatogravic illusion	1-6	operating on the main battery.....	11-5, 11-6
space wave	7-2	temporary flight restrictions (TFRs)	8-4
spatial disorientation	1-2	tension.....	4-10, 4-13
coping with spatial disorientation.....	1-8	terminal arrival area (TAA)	8-18
demonstration of spatial disorientation	1-7	terminal instrument approach procedures (TERPs).....	8-12

Terminal Procedures Publications (TPP).....	8-12
terminal radar approach control (TRACON).....	9-6
terrain alerting systems	3-34
terrain awareness and warning systems (TAWS)	3-34
threshold crossing height (TCH).....	8-32
thrust	2-2, 2-3, 2-6, 2-10
thunderstorm encounter, inadvertent	11-2
thunderstorms.....	9-11, 10-25
tilting to right or left.....	1-8
time factors.....	10-12
time and speed table.....	8-27
timed turns	5-21, 5-53, 6-13
Title 14 of the Code of Federal Regulations (14 CFR)	1-12, 3-2, 7-16, 8-4, 8-11, 10-2, 11-8
touch down zone elevation (TDZE).....	8-27
Tower En Route Control (TEC).....	8-6, 9-7
tracking	7-5
to and from the station.....	7-14
Traditional navigation systems	7-3
traffic	
advisory systems	3-31
alert systems	3-31
alert and collision avoidance system (TCAS).....	3-31
avoidance.....	11-14
avoidance systems	3-31
information system (TIS)	3-31
transcribed weather broadcast (TWEB).....	8-10
transponder.....	9-3
codes.....	9-3
trend indicators.....	4-26
trim.....	2-8, 4-8, 4-10, 4-20, 5-12, 5-13, 5-26, 5-45
control.....	4-8, 5-43
turbulence.....	10-23
turn indicator	3-20, 6-7
turn rate indicator	5-38
turn-and-slip indicator.....	3-20, 5-8
turns.....	2-10, 5-19, 5-51, 6-13
change of airspeed	5-24, 6-14
climbing and descending	5-24, 6-15
common errors.....	5-25, 6-15
compass	5-21, 5-53, 6-15
coordinator.....	3-21, 4-8, 5-7
to predetermined headings.....	5-20, 5-52, 6-13
radius of.....	2-11
rate of.....	2-10
standard rate	2-11, 5-19, 5-51
steep.....	5-22
timed.....	5-21, 5-53, 6-13
turn-and-slip indicator.....	3-20, 4-8, 5-8
types of icing.....	2-13
types of NAVAIDS.....	8-7

U

ultra high frequency (UHF)	7-3
uncaging	5-29
underpower	5-39
unforecast adverse weather	11-2
unusual attitude	5-26, 6-16
common errors.....	5-28, 5-58, 6-16
recognizing	5-27
recovery from	5-26, 5-55

V

vacuum pump systems	3-17
variation	3-12
vectoring	9-6
venturi tubes.....	3-16
vertical card magnetic compass	3-14
vertical speed indicator (VSI).....	3-8, 4-5, 5-4, 6-5
very high frequency (VHF).....	9-2
very high frequency omni-directional range (VOR).....	7-8
accuracy.....	7-16
function of	7-12
operational errors.....	7-14
receiver accuracy check.....	7-16
vestibular.....	1-2, 1-4, 1-5
vestibular illusions	1-5
VFR Over-The-Top	10-27
VFR-On-Top.....	10-26
Victor airways.....	8-4
visual approach slope indicator (VASI).....	7-41
visual descent point (VDP)	8-21
visual flight rules (VFR)	2-1, 3-1, 4-16, 6-1
visual illusions	1-7
visual meteorological conditions (VMC).....	1-3, 7-31, 7-34, 9-14
volcanic ash.....	10-24
VOR/DME RNAV	7-23
components.....	7-23
errors.....	7-24
function of	7-23
VOR test facility (VOT)	7-16
VMC (See visual meteorological conditions)	

W

water refraction	1-9
waypoint.....	7-8
weather and radar processor (WARP)	9-11
weather avoidance assistance.....	9-11
weather conditions	10-22
weather information and communication features.....	8-10

weight.....	2-2, 2-3
wet type vacuum pump	3-17
wide area augmentation system (WAAS).....	7-34
windshields	2-16, 2-17
wing, the.....	2-2
wind correction angle (WCA).....	7-5
wind shear	10-25
work	2-10

Z

zone of confusion	7-12
-------------------------	------