

Index

100-hour inspection	8-9	Air speed	8-2
A		Air speed indicator (ASI).....	7-1, 7-8, 10-2
Abbreviated briefing	12-5	Air speed tape	7-12
Absolute altitude	7-6	Airworthiness certificate	8-7
Accelerate-go distance	10-28	Airworthiness directives (ADs)	8-12
Accelerate-stop distance	10-28	Air Commerce Act.....	1-4
Adjustable-pitch propeller	6-6	Air data computer (ADC)	7-14
Adjustable stabilizer.....	5-11	Air masses.....	11-18
Advection fog.....	11-15	Air route surveillance radar (ARSR)	12-2
Adverse balance	9-3	Air route traffic control center (ARTCC)	12-2
Adverse conditions.....	12-5	Air traffic control (ATC).....	1-6, 13-13, 14-7
Adverse yaw.....	5-3	Alcohol.....	16-13
Advisory circular (AC)	1-10	Alert areas	14-4
Aeromedical factors	16-1	Alternator	6-28
Aeronautical charts	13-3	Altimeter	7-1, 7-3, 7-5, 7-12
Aeronautical decision-making	17-1	Altimeter setting.....	12-7
Aeronautical information manual (AIM).....	1-9	Altimeter system inspection.....	8-9
Ailerons.....	5-3	Altitude	11-6
Airborne radar	12-3	Altitude-induced decompression sickness (DCS).....	16-16
Aircraft documents.....	8-6	Alto	11-17
Aircraft engine	6-1	Ammeter	6-30
Aircraft inspections.....	8-8	Aneroid barometer	11-5
Aircraft maintenance.....	8-8	Angle of attack (AOA).....	5-4
Aircraft owner/operator responsibilities	8-13	Annual inspection	8-8
Aircraft Owners and Pilots Association (AOPA).....	2-16	Anti-ice	6-37
Aircraft types and categories	1-12	Antiservo tab.....	2-6, 5-11
Airfoil.....	3-7, 3-8	Approach light systems.....	13-7
Airframe.....	2-7	Area forecasts (FA).....	12-11
Airframe systems	6-25	Arm	9-5
Airline Deregulation Act of 1978	1-7	Assessing risk	17-5
Airline transport pilot.....	1-14	Asymmetric loading.....	4-27
Airmen's Meteorological Information (AIRMET)		ATC delays	12-5
.....	12-3, 12-12	ATC radar beacon system (ATCRBS).....	13-14
Airplane Flight Manuals (AFM).....	8-1	Atmosphere.....	3-1, 10-2, 11-2
Airport/facility directory (A/FD)	13-3	Atmospheric circulation.....	11-3
Airport beacon	13-6	Atmospheric pressure.....	3-2, 10-2, 11-3
Airport lighting	13-6, 13-9	Atmospheric stability	11-12
Airport markings and signs.....	13-4	Attitude and heading reference system (AHRS) 7-12, 7-20	
Airport signs.....	13-6	Attitude indicator	7-12, 7-18
Airport surveillance radar	12-3	Autokinesis	16-7, 16-19
Airspace	14-1	Automated Surface Observing System (ASOS)	12-2
		Automated Weather Observing System (AWOS)	12-2

Automatic decision-making	17-20	Center of gravity	9-2, 9-5
Automatic terminal information service (ATIS).....	7-5	Certificated flight instructor (CFI)	1-16, 1-20
Automation	17-25	Certificate of aircraft registration.....	8-6
Automation management	17-31	CG limits.....	9-5
Autopilot	5-12	CG range.....	9-5
Autopilot systems	17-27	Chandelles.....	4-33
Aviation forecasts	12-10	Change in lift-off technique	10-27
Aviation gasoline (AVGAS).....	6-26	Charles, Professor Jacques.....	1-2
Aviation medical examiner (AME)	16-2	Cirrus.....	11-17
Aviation routine weather report (METAR)	11-18, 12-6	Civil Aeronautics Act	1-5
Aviation safety inspector (ASI)	1-9	Civil Aeronautics Authority (CAA).....	1-5
Aviation weather reports.....	12-6	Civil Aeronautics Board (CAB).....	1-5
Axes of an aircraft.....	4-11	Civil airports	13-1
Axes of rotation.....	5-3	Class A Airspace.....	14-2
B		Class B Airspace	14-2
Balance.....	9-2	Class C Airspace.....	14-2
Balanced field length.....	10-28	Class D Airspace.....	14-2
Balance tabs	5-11	Class E Airspace	14-2
Barbs	11-12	Class G Airspace.....	14-3
Basic aerodynamics	2-2	Climbs and descents.....	13-18
Basic empty weight.....	9-5	Climb performance	10-6
Before takeoff	13-18	Climb performance expressed as percent gradient of Climb	10-27
Benoist, Tom.....	1-3	Climb requirements.....	10-29
Bernoulli, Daniel.....	3-7	Clouds	11-15, 12-16
Bernoulli's Principle of Differential Pressure.....	3-7	Cloud classification	11-17
Best angle-of-climb speed (V_X).....	7-9	Code of Federal Regulations (CFR)	1-7
Best rate-of-climb speed (V_Y).....	7-9	Cold front.....	11-20
Blade angle.....	4-24	Collision avoidance.....	13-17
Blocked pitot system.....	7-10	Combustion.....	6-18
Blocked static system.....	7-11	Commercial pilot	1-14
Boundary layer.....	4-4, 4-39	Compass systems	7-22
Brakes	2-7, 6-32	Composites.....	2-9
Brake horsepower (BHP).....	6-6, 6-24	Compressor stalls.....	6-23
Bus bar	6-29	Continuous-flow oxygen system.....	6-36
C		Control	9-3
Cabin pressure control system	6-33	Controllability.....	4-13, 4-36
Cabin pressurization system	6-32	Controlled airspace	13-2, 14-2
Calibrated airspeed (CAS).....	7-8, 10-17	Controlled firing areas (CFAs).....	14-4
Canard.....	5-7	Control instruments.....	2-12
Cannula	6-35	Convective currents	11-7
Carbon monoxide (CO) poisoning.....	16-11	Convective significant meteorological information (WST)	12-13
Carburetor air temperature gauge	6-10	Cooling.....	6-1
Carburetor heat.....	6-9	Coriolis force	11-3
Carburetor icing	6-8	Coriolis illusion.....	16-6
Carburetor systems.....	6-7	Corkscrew effect	4-26
Castellanus	11-17	Coupled ailerons	5-4
Catastrophic	17-6	Crew resource management (CRM)	17-4
Cayley, Sir George.....	1-2	Critical.....	17-6
Ceiling.....	11-17	Crosswind and headwind component chart	10-24

Cumulus	11-17	Engine temperature limitations	6-22
Current conditions.....	12-5	Engine water ingestion.....	11-25
D			
Datum.....	9-5	Enhanced Situational Awareness	17-31
DECIDE Model	17-17	Environmental control systems.....	6-1
Decision-making in a dynamic environment	17-19	En Route Flight Advisory Service (EFAS).....	12-4
Decision-making process	17-11	En route forecast	12-5
Dehydration.....	16-12	Equipment Use.....	17-27
Deice system	6-37	Equivalent airspeed (EAS).....	10-17
Delta.....	9-5	Equivalent shaft horsepower (ESHP)	6-24
Density altitude	3-3, 7-6, 10-3, 11-5	Exhaust gas temperature (EGT) gauge	6-8, 6-22
Density altitude charts.....	10-19	Exhaust systems	6-17
Department of Homeland Security (DHS).....	1-6	Explosive decompression.....	6-33
Department of Transportation (DOT).....	1-6	External resources.....	17-22
Deposition.....	11-15	F	
Designated pilot examiner	1-20	FAA Safety Team (FAASTeam)	1-9
Design maneuvering speed (VA).....	7-9	Fairings	4-4
Destination forecast	12-5	False horizon.....	16-7, 16-19
Destination signs	13-6	Familiarity.....	17-29
Determining loaded weight and CG	9-7	Fansler, P. E.	1-3
Deviation.....	7-24	Fast-moving cold front.....	11-21
Dew point.....	11-13, 12-16	Fatigue.....	16-12
Differential ailerons	5-4	Featureless terrain illusion	16-9
Dihedral.....	4-16	Federal Aviation Act of 1958	1-6
Diluter-demand oxygen systems.....	6-36	Federal Aviation Administration (FAA).....	1-6
Dip errors	7-24	Federal Aviation Agency (FAA)	1-6
Direction signs	13-6	Federal Certification of Pilots and Mechanics	1-4
Direct User Access Terminal Service (DUATS).....	12-4	Federal Communications Commission (FCC). 8-14, 13-11	
Doppler radar	12-2	Field offices.....	1-8
Drag.....	2-2, 4-2, 4-3	First airmail flight	1-4
Drugs.....	16-14	First license	1-4
Dual lighting	13-9	Fixed-pitch propeller.....	6-5
Dutch roll	4-18	Flameout	6-23
Dynamic hydroplaning.....	10-12	Flaperons.....	5-5
Dynamic stability	4-13	Flaps.....	5-8
E			
Eddy current damping.....	7-26	Flight controls	2-7, 5-2
Electrical	6-1	Flight control systems	5-1
Electrical pulse-demand oxygen system.....	6-36	Flight instruments	7-1
Electrical system	2-7, 6-28	Flight limits.....	8-4
Electronic flight displays (EFD)	2-12, 7-12, 12-18	Flight maneuvers.....	4-32
Elevator	2-5, 5-5	Flight publications	1-11
Elevator illusion	16-7	Flight school	1-15
Emergency locator transmitter (ELT).....	8-9	Flight service station	12-4
Empennage.....	2-3, 2-5	Flight Standards District Office (FSDO)	1-8
Empty-field myopia	16-18	Flight Standards Service (AFS)	1-8
Engine	6-1	Float-type carburetor.....	6-7
Engine cooling systems.....	6-16	Floor load limit	9-5
Engine pressure ratio (EPR).....	6-22	Flux gate compass system.....	7-20
		Fog	11-15, 16-9
		Forces in climbs	4-21
		Forces in descents	4-22

Forces in turns.....	4-19
Forecast change group	12-10
Forecast significant weather.....	12-10
Forecast sky condition	12-10
Forecast visibility.....	12-10
Forecast wind.....	12-10
Foreign object damage (FOD)	6-23
Forming good safety habits.....	17-16
Four-stroke engines.....	6-3
Fowler flaps.....	5-9
Fracto	11-17
Free-stream velocity.....	4-4
Free directional oscillations	4-18
Friction.....	3-5
Frise-type ailerons.....	5-4
Fronts	11-18
Fuel	6-1
Fuel-pump system.....	6-25
Fuel contamination.....	6-27
Fuel gauges	6-25
Fuel grades	6-26
Fuel injection system	6-10
Fuel load.....	9-5
Fuel primer.....	6-25
Fuel selectors	6-26
Fuel strainers.....	6-26
Fuel systems.....	6-25
Fuel tanks	6-25
Full authority digital engine control (FADEC).....	6-19
Full temperature accountability	10-27
Fuselage	2-3

G

General Aviation Manufacturers Association (GAMA).....	8-2
Generator.....	6-28
Getting beyond rote workmanship.....	17-29
Global positioning system (GPS)	2-16
Graphical METARs	12-23
Graveyard spiral.....	16-6
Gravity-feed system.....	6-25
Ground adjustable tabs.....	5-11
Ground effect	4-9
Ground lighting illusions	16-9
Ground power unit (GPU)	6-28
Gyroscopic action	4-27
Gyroscopic action	4-27
Gyroscopic attitude indicators	5-12
Gyroscopic flight instruments.....	7-14
Gyroscopic principles	7-15

H

Hail.....	11-24
Handbooks	1-10
Hazard.....	17-4
Hazardous attitudes.....	17-4
Hazardous Inflight Weather Advisory (HIWAS)	12-4
Haze	16-9
Heading indicator.....	7-13, 7-20
Heatstroke	16-12
Henson, William Samuel	1-3
High intensity white obstruction lights.....	13-9
High speed flight.....	4-38
High speed flight controls	4-43
High speed stalls	4-32
History of ADM.....	17-2
History of flight.....	1-2
History of the Federal Aviation Administration (FAA).....	1-3
Histotoxic hypoxia.....	16-3
Horizontally opposed engine	6-2
Horizontal situation indicator (HSI)	7-13
Human behavior.....	17-10
Humidity	11-13
Humidity	3-3
Hydraulic systems.....	6-30
Hydromechanical	5-2
Hypemic hypoxia	16-2
Hypersonic	4-38
Hyperventilation	16-3
Hypoxia.....	16-2
Hypoxic hypoxia.....	16-2

I

ICAO station identifier.....	12-10
Ice.....	4-23
Ice fog	11-15
Icing	11-24
Ignition.....	6-1
Ignition system.....	6-14
Illusions.....	16-5
Impact pressure chamber	7-2
Improbable	17-6
Inflight Weather Advisories.....	12-12
In-line engines.....	6-2
In-runway lighting	13-9
Inches of mercury	11-4
Inclinometer	7-18
Indicated airspeed (IAS)	4-39, 7-8, 10-17
Indicated altitude.....	7-6

Induced drag.....	4-3, 4-5	Light sport aircraft (LSA).....	1-12, 8-7
Induction	6-1	Likelihood of an event	17-6
Induction system	6-7	Lilienthal, Otto.....	1-3
Information management	17-30	loadmeter.....	6-30
Information signs	13-6	Load distribution.....	4-36
Instantaneous vertical speed indicator (IVSI).....	7-7	Local airport advisory	14-4
Instrument check.....	7-7	Location signs	13-6
Instrument landing system (ILS)	2-12	Longitudinal stability	4-14
Intelligent flight control systems (IFCS).....	5-2	Low-level wind shear.....	11-11
Interference drag	4-4	Low-Level Wind Shear Alert System (LLWAS)	11-11
Internal resources	17-20	Lubrication.....	6-1
International Civil Aviation Organization (ICAO)	3-2, 13-12		
International Standard Atmosphere (ISA) ..	3-2, 10-2, 11-5	M	
Interpolation.....	10-19	MacCracken, William P., Jr.,.....	1-4
Inversion	11-13	Mach buffet.....	4-42
Inversion illusion	16-7	Mach number	4-39
Isobars	11-12	Magnetic compass.....	5-12, 7-22
		Magnus, Heinrich Gustav	3-4
J		Magnus effect.....	3-4
Jet-fueled piston engine	6-4	Maintenance entries	8-11
		Managing aircraft automation.....	17-29
K		Managing risks.....	17-24
Keel effect.....	4-17	Mandatory instruction signs.....	13-6
Knowledge examination	1-17	Maneuverability	4-13
Kollsman window	7-4	Manifold absolute pressure (MAP).....	6-6
		Marginal.....	17-6
L		Maximum landing weight.....	9-5
Lags.....	7-26	Maximum ramp weight.....	9-5
Landing	10-27	Maximum takeoff weight.....	9-5
Landing charts.....	10-25	Maximum weight	9-5
Landing gear	2-3, 2-6, 6-1, 6-31	Maximum zero fuel weight.....	9-5
Landing gear extended speed (V_{LE}).....	7-9	Mean aerodynamic chord (MAC).....	4-12, 9-5
Landing gear operating speed (V_{LO}).....	7-9	Medical certificate.....	16-2
Landing performance	10-15, 10-33	Medical certification requirements	1-16
Landing strip indicators	13-10	Mesosphere	11-3
Land and hold short lights.....	13-9	Meteorologists.....	12-1
Lateral stability	4-16	Microjets	6-20
Lazy eights	4-33	Middle ear	16-4
leading edge	3-8	Military/Federal government airports	13-1
cuffs	5-10	Military operation areas (MOAs).....	14-4
device	5-9	Military training routes (MTRs)	14-6
flaps	5-9	Minimum control speed (VMC)	7-10
Leads	7-26	Minimum equipment lists (MEL)	8-9
Leans, the	16-6	Mitigating risk.....	17-6
Lenticularus.....	11-17	Mixture control	6-8
Licensed empty weight	9-5	Modifier.....	12-6
Lift.....	2-2, 4-2	Moisture	11-13
Lift/drag ratio.....	4-6	Moment	4-12, 9-5
Lightning.....	11-25	Moment arm.....	4-12, 9-5
Lightning strike protection.....	2-11	Moment index	9-5
		Monocoque	2-3, 2-8

Montgolfier, Joseph and Etienne.....	1-2
Motion sickness	16-11
Multi-function display (MFD).....	2-12, 7-13, 12-18

N

N ₁ indicator	6-22
N ₂ indicator	6-22
National Aeronautics and Space Administration (NASA)	2-16, 5-2
National Airspace System.....	14-7
National Oceanic and Atmospheric Administration (NOAA)	3-4
National Security Areas (NSAs).....	14-6
National Transportation Safety Board (NTSB)	1-6
National Weather Service (NWS).....	12-1
Navigation instruments	2-12
Negative arm	9-10
Negative dynamic stability	4-13
Negative static stability.....	4-13
Negligible.....	17-6
Net thrust.....	6-24
Neutral dynamic stability	4-13
Neutral static stability	4-13
Newton’s basic laws of motion.....	3-4
Newton’s First Law of Motion	3-4, 4-19
Newton’s Second Law of Motion.....	3-4
Newton’s Third Law of Motion.....	3-4, 4-26
Next Generation Weather Radar System (NEXRAD).....	12-21
Night vision.....	16-18
Nimbus.....	11-17
Non-movement area boundary marking	13-6
Nondirectional beacon (NDB).....	2-12
Notices to Airmen (NOTAM).....	1-11, 12-5, 13-3

O

Obstacles to maintaining situational awareness.....	17-23
Obstructions on wind	11-8
Obstruction lights.....	13-9
Occasional.....	17-6
Occluded front	11-22
Oil systems.....	6-15
OODA loop.....	17-16
Operational pitfalls.....	17-20
Optical illusions	16-9
Original equipment manufacturer (OEM)	6-4
Oscillation error	7-26
Other information.....	12-5
Other markings.....	13-5
Outlook briefing.....	12-5
Outside air temperature (OAT) gauge	6-10, 7-26

Oxygen masks.....	6-35
Oxygen systems	6-34

P

Parachute jumps	14-10
Parachute jump aircraft operations	14-6
Parasite drag.....	4-3
PAVE Checklist.....	17-6
Payload.....	9-5
Pennants	11-12
Perceive, Process, Perform (3P).....	17-14
Perceive, Process, Perform with CARE and TEAM..	17-14
Performance	10-5
Performance charts.....	10-18
Performance data	10-1
Performance instruments	2-12
Performance requirements	10-27
Performance speeds	10-17
Pheil, A. C.....	1-3
Pilot in command (PIC)	1-14
Pilot’s operating handbook (POH).....	8-1
Pilot certifications	1-13
Pilot weather reports (PIREPs).....	12-8
Pitch	4-11
Pitching	4-14
Pitot-static flight instruments	7-1
Placards	8-4
Plain flap	5-8
Plan, the.....	17-12
Positive dynamic stability.....	4-13
Positive static stability	4-13
Postural considerations	16-7
Powerplant	2-3, 2-7, 6-1, 8-3
Practical examination.....	1-18
Precession	7-15
Precipitation	11-18, 12-16
Precision approach path indicator (PAPI).....	13-7
Preflight inspections.....	8-9
Present weather	12-16
Pressure-demand oxygen systems.....	6-36
Pressure-type carburetor	6-8
Pressure altitude	3-2, 7-6, 10-3
Pressure change/tendency	12-16
Pressurized aircraft.....	6-32
Preventive maintenance	8-11
Primary flight controls	5-2
Primary flight display.....	2-12
Primary locations of the FAA.....	1-8
Primary radar	13-13
Private airports	13-1

Private pilot.....	1-14
Probability forecast.....	12-10
Probable.....	17-6
Professional Air Traffic Controllers Organization (PATCO) Strike.....	1-7
Prohibited areas.....	14-3
Propeller.....	2-7, 6-1, 6-4
Propeller anti-ice.....	6-38
Propeller blade.....	4-24
Propeller principles.....	4-24
Published VFR routes.....	14-6
Pulsating visual approach slope.....	13-7
Pulse oximeters.....	6-37
P-factor.....	4-26, 4-27

Q

Quesada, General Elwood Richard “Pete”.....	1-6
---	-----

R

Radar observations.....	12-2
Radar summary chart.....	12-17
Radar traffic advisories.....	13-14
Radar Weather Reports (RAREP).....	12-9
Radial engines.....	6-2
Radiation fog.....	11-15
Radiosonde.....	12-2
Radio communications.....	13-11
Radio equipment.....	13-12
Range performance.....	10-8
Rapid decompression.....	6-34
Rate of turn.....	4-30
Reciprocating engines.....	6-2
Red obstruction lights.....	13-9
Reference datum.....	9-5
Refueling procedures.....	6-27
Region of reversed command.....	10-10
Reinforcement of onboard suites.....	17-29
Relative humidity.....	11-13
Remarks.....	12-8
Remote.....	17-6
Remote indicating compass.....	7-21
Repairs and alterations.....	8-12
Respect for onboard systems.....	17-29
Restricted areas.....	14-3
Retractable landing gear.....	6-31
Rigidity in space.....	7-15
Risk.....	17-4
Risk management.....	17-32
Roll.....	4-11
Rolling.....	4-16
Rough air.....	4-33

Rudder.....	5-4, 5-7
Rudder.....	2-6
Ruddervators.....	5-8
Runway and terrain slopes illusion.....	16-9
Runway centerline lighting system (RCLS).....	13-9
Runway distance remaining signs.....	13-6
Runway edge lights.....	13-8
Runway end identifier lights (REIL).....	13-8
Runway incursion avoidance.....	13-18
Runway lighting.....	13-8
Runway markings.....	13-4
Runway surface and gradient.....	10-11
Runway width illusion.....	16-9

S

Safety Program Airmen Notification System (SPANS).....	1-12
Satellite.....	12-3
Satellite weather.....	12-3
Sea level pressure.....	12-16
Sea smoke.....	11-15
Segmented circle visual indicator system.....	13-10
Semimonocoque.....	2-3, 2-8
Servicing of oxygen systems.....	6-37
Severity of an event.....	17-6
Shock wave.....	4-40
Shock waves.....	4-40
Significant Meteorological Information (SIGMET).....	12-3, 12-13
Significant weather prognostic charts.....	12-18
Single-engine best rate of climb (V_{YSE}).....	7-10
Single-pilot resource management.....	17-4
Sinus problems.....	16-4
Situational awareness.....	17-23
Skidding turn.....	4-21
Skin friction drag.....	4-4
Sky condition.....	12-7
Slipping turn.....	4-20
Slotted flap.....	5-8
Somatogravic illusion.....	16-7
Sources of power.....	7-16
Spatial disorientation.....	16-5
Special airworthiness certificate.....	8-8
Special flight permits.....	8-12
Special use airspace.....	14-3
Spins.....	4-32
Spiral instability.....	4-18
Split flap.....	5-8
Spoilers.....	5-10
Sport pilot.....	1-14
Sport pilot certificate.....	1-12

Squall line	11-23	Taxiway markings.....	13-5
SRM and the 5P Check.....	17-11	Temperature	11-13, 12-16
Stabilator	5-6	Temperature and dew point	12-7
Stability	4-13, 4-36, 9-2, 9-3	Temporary flight restrictions (TFR).....	14-6
Stagnant hypoxia.....	16-3	Terminal aerodrome forecasts (TAF)	12-10
Stalls.....	4-22, 4-32	Terminal doppler weather radar (TDWR)	12-3
Stall speed performance charts	10-26	Terminal radar service area (TRSA).....	13-15, 14-6
Standard airworthiness certificate	8-7	Tetrahedron	13-10
Standard briefing.....	12-5	Thermosphere	11-3
Standard datum plane (SDP).....	10-3	Thielert, Frank.....	6-4
Standard empty weight	9-5	Three-color visual approach path.....	13-7
Standard temperature lapse rate	10-2	Thrust	2-2
Standard weights.....	9-5	Thrust horsepower (THP)	6-6, 6-24
Starting system.....	6-18	Thunderstorms	11-22
Static pressure chamber	7-2	Tornadoes.....	11-23
Static stability.....	4-13	Torque	4-26
Station	9-5	Torquemeter	6-22
Stationary front	11-22	Touchdown zone lights (TDZL).....	13-9
Station identifier.....	12-6	Traffic patterns	13-18
Steam fog	11-15	Trailing edge	3-8
Straight-and-level flight	10-5, 13-18	Training operations	13-18
Stratosphere.....	11-3	Transcontinental mail route	1-4
Stratus	11-17	Transcribed information briefing service (TIBS)	12-4
Stress	16-11	Transcribed Weather Broadcast (TWEB).....	12-4
Stress management.....	17-20	Transonic.....	4-38
Student pilot	1-16	Transponder	13-14
Student pilot solo requirements	1-16	Transponder inspection.....	8-9
Subcomponents of an airplane	2-7	Transport category airplane performance	10-27
Sublimation	11-15	Trend vectors	7-14
Subsonic	4-38	Tricycle landing gear airplanes.....	6-31
Sumps.....	6-26	Trim systems.....	5-10
Superchargers.....	6-11, 6-12	Trim tabs	2-5, 5-10
Supersonic.....	4-38	Tropopause.....	11-3
Supersonic flow.....	4-38	Troposphere	11-2
Supplemental type certificate (STC).....	6-26	True airspeed (TAS)	4-39, 7-8, 10-17
Surface analysis chart	12-14	True altitude	7-6
Surface aviation weather observations (METARs)	12-2	Truss structure.....	2-8
Sweepback	4-17, 4-41	Turbine engines.....	6-20
Synopsis	12-5	Turbofan.....	6-20
T		Turbojet.....	6-20
T-tail configuration	5-6	Turboprop	6-20
Tachometer	7-13	Turboshaft.....	6-20
Tailwheel landing gear airplanes	6-31	Turbosuperchargers.....	6-11, 6-12
Takeoff.....	10-27	Turbulence	11-24
Takeoff charts	10-19	Turn-and-slip indicator	7-17
Takeoff distance.....	10-28	Turn coordinator	7-17
Takeoff performance.....	10-13	Turn indicator.....	7-13, 7-16
Taxiway centerline lead-off lights	13-9	Two-stroke engine	6-3
Taxiway centerline lead-on lights.....	13-9	Types of airports	13-1
Taxiway lights.....	13-9	Type certificate data sheet (TCDS).....	9-3

Type of report 12-6, 12-10

U

Ultralight 1-12, 14-10

Uncontrolled airport..... 13-2

Uncontrolled airspace 14-3

Understand the platform 17-29

Unmanned free balloons 14-10

Upper air observations 12-2

Upslope fog..... 11-15

Useful load..... 9-5

Use of resources 17-20

V

V-tail 5-8

V₁ 10-28

V₂ 10-28

V_A..... 10-18

Variable inlet guide vane (VIGV)..... 6-23

Vehicle roadway markings 13-5

Vertical card magnetic compass 7-26

Vertical speed indicator (VSI) 7-1, 7-7, 7-13

Vertical stability..... 4-17

Very high frequency (VHF) omnidirectional radio
range (VOR)..... 2-12

Very light jets (VLJs)..... 6-20

Vestibular illusions 16-6

Vestibular system..... 16-5

V_{FE} 10-18

V_{FS} 10-28

Vg diagram..... 4-33

Vinci, Leonardo da..... 1-2

Visibility 11-18, 12-7

Vision..... 16-17

Visual approach slope indicator (VASI)..... 13-7

Visual glide slope indicators..... 13-7

Visual illusions 16-7

V_{LE} 10-17

V_{LO} 10-18

V_{LOF} 10-28

V_{MCA} 10-28

V_{MCG} 10-28

V_{NE}..... 10-18

V_{NO} 10-18

Vortex 4-8

Vortex generation..... 13-16

VOR receiver checkpoint marking 13-5

V_R..... 10-28

V_S..... 10-27

V_{S0}..... 10-17

V_{S1}..... 10-17

V_X..... 10-17

V_Y..... 10-17

W

Wake turbulence 4-8, 13-15

Warm front..... 11-19

Warning areas 14-4

Water refraction 16-9

Weather 11-1, 12-7

Weather briefings 12-5

Weather charts 12-14

Weather depiction chart 12-16

Weight..... 2-2, 4-2, 4-7, 4-35, 9-1

Weight and balance..... 4-35
 computations 9-6

 restrictions 9-7

Weight and loading distribution..... 8-3

Weight control 9-1

White arc..... 7-9

Wind..... 12-6, 12-16

Windscreen anti-ice 6-38

Winds and temperatures aloft 12-5

Winds and temperature aloft forecast (FD) 12-14

Wind direction indicators..... 13-10

Wind patterns 11-7

Wind shear 11-11

Wind shifts..... 11-22

Wind sock 13-10

Winglets 3-10

Wings 2-3, 2-4

Wingtip vortices..... 4-8

Workload management 17-23

Wright, Wilbur and Orville..... 1-3

WSR-88D NEXRAD radar..... 12-2

Y

Yaw 4-11

Yawing..... 4-17

Yaw string..... 7-18

Z

Zero fuel weight 9-10

Zulu time 12-8